

# Disposable CovTech Coverall

- o Endorsed under CE 0516 covering Category 3-liquid tight, Type 4-spray tight, Type splash and 5-particle penetration.
- o One piece garment of 65gm/sq meter, Lightweight, Durable with Superior Soft Comfort and complete with Elastic Hood, Wrists, Waist, and Ankles + Zipper Cover Flap with Self Adhesive Tape, providing additional protection.



# Hazardous Environment Application

Working with Hazardous Dusts through to Chemical Handling:

- ✓ asbestos removal
- ✓ accident attendance
- ✓ fiber exposure
- ✓ food and pharmaceutical
  
- ✓ painting and spraying
- ✓ electronic assembly
- ✓ mining
- ✓ industrial manufacturing
- ✓ maintenance.

# Excellent Textile Properties



The CovTec coveralls possess the properties in holding out 99% of fibers and hazardous particles greater than 1 micron.

Outstanding barrier against a wide range of Chemicals and Aerosols and capable to offer 100% protection per test method EN368 against:

- A. Pesticide
- B. Methyl Pentane
- C. Xylene
- D. Acetone

# Packaging & choice of sizes

Each piece of coverall is factory packed and labeled and comes in various choice of sizes of Small, Medium, Large, Extra Large, 2XL, 3XL & 4XL.



# Benchmark Endorsement

**CovTech™**  
**CT365P**  
**PREMIUM DISPOSABLE**  
**PROTECTIVE COVERALLS**

*"Any questions as to the suitability of a product for its purpose has implications along the chain, from the manufacturer through to the end user. Issues of liability, risk management and of course, the bottom line: saving of life ...are at stake.  
 ...The simple fact is that use of a certified product is evidence that as a user or an employer you made every effort to select the most appropriate product"*

RICHARD DONARSKI  
 Benchmark Certification

**How Safe Are You...?**

CE 0516

©2010 GSSM Limited. All Rights Reserved. Printed in the UK. CovTech is a registered trademark of GSSM Limited. All other trademarks are the property of their respective owners. Distributed by GSSM (Australia) Pty Ltd, North Ryde, NSW.

**Certifiably SAFE**

- ✓ CE CERTIFICATION
- ✓ STRONG
- ✓ ANTI-STATIC
- ✓ BREATHABLE
- ✓ PARTICLE PROTECTION
- ✓ LIMITED CHEMICAL SPLASH
- ✓ SILICONE FREE
- ✓ LIGHTWEIGHT
- ✓ DURABLE

**APPLICATIONS**

- Asbestos removal
- Painting and spraying
- Accident attendance
- Electronic assembly
- Particulate and SMF exposure
- Mining
- Food and pharmaceutical
- Industrial manufacturing

PO Box 419 Rosebery NSW 1445  
 Tel: +61 (0) 2 9317 5223 Fax: +61 (0) 2 9317 4998  
[www.gssm.com.au](http://www.gssm.com.au)  
[joel@gssm.com.au](mailto:joel@gssm.com.au)

GSSM Safety Solutions and Management Pty Ltd

# Manufacturing Process

GSSM adhere to strict manufacturing process briefly described below:

- Each material supplied comes with certification on quality, weight, thickness, width & length of rolls, colour and result of water pressure test.
- Component for packaging,zip, elastic, thread, labels is pre-inspected and must comply the required specification.
- Prior to cutting, visual scrutiny is done to detect colour defects, loose fibers, dirt spots & perforation.
- There are 8 stitches per inch done for the sewing.
- All manufacturing process is done in one factory to ensure quality is not compromised as do other producer with multiple factory to cut cost, hence the quality too.